

LED Stadium Light

250W/500W/750W/1000W



140lm/w

Features

Separate modular design,240W each modular intergeted with driver.

Optical Lens,An-ti UV,transmittance > 94%,professional light distribution : 10°/25°/45°/60°/90°.

CREE/Lumileds chip,CRI > 80,high light efficiency 140Lm/w.

Meanwell/Sosen driver, 5 years Warranty.

IP 66 Waterproof rate.



Application




Assemble and Disassemble operation:



① Screw off the nuts be horizontal with the rear of light.



① Screw off the nuts and revolve it to 360 degree.



② Adjustable angle module is ± 30 degree.




② Fetch out the defective module and make a crown..


Technical Specification

Item	ULHFL-250W-C	ULHFL-500W-C	ULHFL-750W-C	ULHFL-1000W-C
Wattage	250W	500W	750W	1000W
Input Voltage	AC90-305V			
Chip	Lumileds/CREE			
CRI	RA>70/RA>80			
Power Factor	>0,93			
Efficiency	140lm/w			
IPRating	IP66			
Working	-20~+50°C			
Beam Angle	10°/25°/45°/60°/90°			
Warranty	5 Years			
Dimension	325*502*256mm	536*502*256mm	716*502*256mm	854*462*216.1mm
Driver	Mwanwell/Sosen			
Certificate	ETL/DLC/TUV/CB/FCC/SAA/CE/RoHS			

Photometric Diagrams:



Installation Diagram



Packing

